antibodies - online.com







anti-Gastrokine 1 antibody (C-Term)



Image



\sim	
()\/△	rview
\cup	1 410 44

Alternative Name:

Background:

Quantity:	400 μL
Target:	Gastrokine 1 (GKN1)
Binding Specificity:	AA 124-150, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Gastrokine 1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This GKN1 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 124-150 amino acids from the C-terminal region of human GKN1.
Clone:	RB39843
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	Gastrokine 1 (GKN1)
All III	

The protein encoded by this gene is found to be down-regulated in human gastric cancer tissue

GKN1 (GKN1 Products)

Target Details


	as compared to normal gastric mucosa.
Molecular Weight:	21999
Gene ID:	56287
NCBI Accession:	NP_062563
UniProt:	Q9NS71

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	GKN1 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



Western Blotting

Image 1. All lanes: Anti-GKN1 Antibody (C-term) at 1:1000 dilution Lane 1: K562 whole cell lysate Lane 2: MOLT-4 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 22 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.