

Datasheet for ABIN1536695
anti-NOP16 antibody (C-Term)[Go to Product page](#)

1 Image

Overview

Quantity:	400 µL
Target:	NOP16
Binding Specificity:	AA 129-158, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NOP16 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This NOP16 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 129-158 amino acids from the C-terminal region of human NOP16.
Clone:	RB30512
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	NOP16
Alternative Name:	NOP16 (NOP16 Products)
Background:	NOP16 is transcriptionally regulated by c-Myc (MYC, MIM 190080), upregulated in breast

Target Details


	cancer, and overexpression is associated with poor patient survival (Butt et al., 2008).[supplied by OMIM].
Molecular Weight:	21188
Gene ID:	51491
NCBI Accession:	NP_001243468 , NP_001243469 , NP_057475
UniProt:	Q9Y3C1

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	NOP16 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



Western Blotting

Image 1. NOP16 Antibody (C-term) (ABIN1536695 and ABIN2850316) western blot analysis in K562 cell line lysates (35 µg/lane). This demonstrates the NOP16 antibody detected the NOP16 protein (arrow).