antibodies .- online.com







anti-CD200 antibody (C-Term)



Image



()	ve	rvi	0	W
_			$\overline{}$	

Background:

Quantity:	400 μL	
Target:	CD200	
Binding Specificity:	AA 183-211, C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CD200 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	This CD200 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 183-211 amino acids from the C-terminal region of human CD200.	
Clone:	RB34100	
Isotype:	lg Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	CD200	
Alternative Name:	CD200 (CD200 Products)	

The protein encoded by this gene is a type-1 membrane glycoprotein, which contains two

Target Details


	immunoglobulin domains, and thus belongs to the immunoglobulin superfamily. Studies of the
	related genes in mouse and rat suggest that this gene may regulate myeloid cell activity and
	delivers an inhibitory signal for the macrophage lineage in diverse tissues. Multiple alternatively
	spliced transcript variants that encode different isoforms have been found for this gene.
Molecular Weight:	31264
Gene ID:	4345
NCBI Accession:	NP_001004196, NP_005935
UniProt:	P41217

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	CD200 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.	
Expiry Date:	6 months	



Western Blotting

Image 1. C Antibody (C-term) (ABIN1536803 and ABIN2849332) western blot analysis in human placenta tissue lysates (35 μ g/lane).This demonstrates the C antibody detected the C protein (arrow).