
# antibodies - online.com







## anti-RASL12 antibody (C-Term)



Image



| $\sim$ |          |
|--------|----------|
| ( )\/△ | rview    |
| $\cup$ | 1 410 44 |

| Quantity:             | 400 μL   |
|-----------------------|--|
| Target:               | RASL12   |
| Binding Specificity:  | AA 229-255, C-Term   |
| Reactivity:           | Human  |
| Host:                 | Rabbit   |
| Clonality:            | Polyclonal   |
| Conjugate:            | This RASL12 antibody is un-conjugated  |
| Application:          | Western Blotting (WB)  |
| Product Details       |  |
| Immunogen:            | This RASL12 antibody is generated from rabbits immunized with a KLH conjugated synthetic         |
|                       | peptide between 229-255 amino acids from the C-terminal region of human RASL12.                  |
| Clone:                | RB38344  |
| Isotype:              | lg Fraction  |
| Predicted Reactivity: | B, M   |
| Purification:         | This antibody is purified through a protein A column, followed by peptide affinity purification. |
| Target Details        |  |
|                       |  |
| Target:               | RASL12   |

#### **Target Details**


| Background:       | RASL12 belongs to the small GTPase superfamily. Ras family. |
|-------------------|---|
| Molecular Weight: | 29662   |
| Gene ID:          | 51285   |
| NCBI Accession:   | NP_057647   |
| UniProt:          | Q9NYN1  |

#### **Application Details**

| Application Notes: | WB: 1:1000            |
|--------------------|-----------------------|
| Restrictions:      | For Research Use only |

### Handling

| Format:            | Liquid   |
|--------------------|--|
| Buffer:            | Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.   |
| Preservative:      | Sodium azide   |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage:           | 4 °C,-20 °C  |
| Storage Comment:   | RASL12 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.      |
| Expiry Date:       | 6 months   |



#### **Western Blotting**

Image 1. Anti-RASL12 Antibody (C-term) at 1:1000 dilution + Caco2 whole cell lysate Lysates/proteins at 20 μg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 30 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.