antibodies - online.com







anti-ARMCX3 antibody (C-Term)





Overview	
Quantity:	400 μL
Target:	ARMCX3
Binding Specificity:	AA 299-325, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ARMCX3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This ARMCX3 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 299-325 amino acids from the C-terminal region of human ARMCX3.
Clone:	RB38578
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	ARMCX3
Alternative Name:	ARMCX3 (ARMCX3 Products)
Background:	This gene encodes a member of the ALEX family of proteins which may play a role in tumor

Target Details

suppression. The encoded protein contains a potential N-terminal transmembrane domain and a single Armadillo (arm) repeat. Other proteins containing the arm repeat are involved in development, maintenance of tissue integrity, and tumorigenesis. This gene is closely localized with other family members on the X chromosome. Three transcript variants encoding the same protein have been identified for this gene. [provided by RefSeq].

Molecular Weight: 42501

Gene ID: 51566

NCBI Accession: NP_057691, NP_808816, NP_808817

UniProt: Q9UH62

Application Details

Application Notes: WB: 1:1000

Restrictions: For Research Use only

Handling

Format:

Liquid

Buffer:

Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.

Preservative:

Sodium azide

Precaution of Use:

This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage:


4 °C,-20 °C

Storage Comment:

ARMCX3 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term

storage, keep at -20 °C.

Expiry Date: 6 months



Western Blotting

Image 1. ARMCX3 Antibody (C-term) (ABIN1537087 and ABIN2850017) western blot analysis in cell line lysates (35 μ g/lane). This demonstrates the ARMCX3 antibody detected the ARMCX3 protein (arrow).