## antibodies -online.com







## anti-MARCH9 antibody (C-Term)



Image



$\sim$	
( )\/\	rview
$\circ$	


Quantity:	400 μL
Target:	MARCH9
Binding Specificity:	AA 304-330, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MARCH9 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This MARCH9 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 304-330 amino acids from the C-terminal region of human MARCH9.
Clone:	RB37811
Isotype:	Ig Fraction
Predicted Reactivity:	M
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	MARCH9
Alternative Name:	MARCH9 (MARCH9 Products)

## **Target Details**

Expiry Date:

6 months

Target Details	
Background:	MARCH9 is a member of the MARCH family of membrane-bound E3 ubiquitin ligases (EC 6.3.2.19). MARCH enzymes add ubiquitin (see MIM 191339) to target lysines in substrate proteins, thereby signaling their vesicular transport between membrane compartments.  MARCH9 induces internalization of several membrane glycoproteins and directs them to the endosomal compartment (Bartee et al., 2004 [PubMed 14722266], Hoer et al., 2007 [PubMed 17174307]).[supplied by OMIM].
Molecular Weight:	37772
Gene ID:	92979
NCBI Accession:	NP_612405
UniProt:	Q86YJ5
Application Details	
Application Notes:	WB: 1:1000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	MARCH9 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.



## **Western Blotting**

**Image 1.** RCH9 Antibody (C-term) (ABIN1537096 and ABIN2848991) western blot analysis in SK-BR-3 cell line lysates (35  $\mu$ g/lane). This demonstrates the RCH9 antibody detected the RCH9 protein (arrow).