# antibodies -online.com





## anti-CRLF3 antibody (C-Term)



Image



Go to Product page

O	:
	view
	VICVV

Overview	
Quantity:	400 μL
Target:	CRLF3
Binding Specificity:	AA 305-331, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CRLF3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This CRLF3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 305-331 amino acids from the C-terminal region of human CRLF3.
Clone:	RB37846
Isotype:	Ig Fraction
Predicted Reactivity:	М
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	CRLF3
Alternative Name:	CRLF3 (CRLF3 Products)
, itemative rame.	

#### **Target Details**


Background:	CRLF3 (Cytokine receptor-like factor 3) contains one fibronectin type-III domain. It is expressed in skin and squamous cell carcinoma (SCC) and in lesion actinic keratosis (AK).
Molecular Weight:	49766
Gene ID:	51379
NCBI Accession:	NP_057070
UniProt:	Q8IUI8
Pathways:	p53 Signaling

### **Application Details**

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	CRLF3 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



#### **Western Blotting**

Image 1. All lanes: Anti-CRLF3 Antibody (C-term) at 1:1000 dilution Lane 1: Hela whole cell lysate Lane 2: NCI- whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 50 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.