antibodies -online.com





anti-UTP3 antibody (C-Term)



Image



Go to Product page

_					
U	V	er	V	Ie	W

Overview	
Quantity:	400 μL
Target:	UTP3
Binding Specificity:	AA 416-444, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UTP3 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This UTP3 antibody is generated from rabbits immunized with a KLH conjugated synthetic
Immunogen:	This UTP3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 416-444 amino acids from the C-terminal region of human UTP3.
Immunogen: Clone:	
	peptide between 416-444 amino acids from the C-terminal region of human UTP3.
Clone:	peptide between 416-444 amino acids from the C-terminal region of human UTP3. RB39830
Clone:	peptide between 416-444 amino acids from the C-terminal region of human UTP3. RB39830 Ig Fraction
Clone: Isotype: Predicted Reactivity:	peptide between 416-444 amino acids from the C-terminal region of human UTP3. RB39830 Ig Fraction Rat
Clone: Isotype: Predicted Reactivity: Purification:	peptide between 416-444 amino acids from the C-terminal region of human UTP3. RB39830 Ig Fraction Rat

Target Details


Background:	Essential for gene silencing: has a role in the structure of silenced chromatin. Plays a role in the developing brain (By similarity).
Molecular Weight:	54558
Gene ID:	57050
NCBI Accession:	NP_065101
UniProt:	Q9NQZ2

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	UTP3 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



Western Blotting

Image 1. UTP3 Antibody (C-term) (ABIN1537305 and ABIN2838110) western blot analysis in K562 cell line lysates (35 μ g/lane).This demonstrates the UTP3 antibody detected the UTP3 protein (arrow).