# antibodies -online.com





# anti-GMCL1L antibody (C-Term)



Image



Go to Product page

( )	ve	K\ /		A .
	$\cup$	1 V/	-	V۷

OVEIVIEW		
Quantity:	400 μL	
Target:	GMCL1L (GMCL1P1)	
Binding Specificity:	AA 498-524, C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GMCL1L antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	This GMCL1L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 498-524 amino acids from the C-terminal region of human GMCL1L.	
Clone:	RB30505	
Isotype:	Ig Fraction	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	GMCL1L (GMCL1P1)	
Alternative Name:	GMCL1L (GMCL1P1 Products)	
Background:	GMCL1L is possible function in spermatogenesis. Enhances the degradation of MDM2 and	

### **Target Details**


	increases the amount of p53 probably by modulating the nucleocytoplasmic transport (By similarity). Probable substrate-specific adapter of an E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins.
Molecular Weight:	60299
Gene ID:	64396
UniProt:	Q8NEA9

## Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	GMCL1L Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



#### **Western Blotting**

Image 1. Anti-GMCL1L Antibody (C-term) at 1:1000 dilution + human testis lysate Lysates/proteins at 20 μg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 60 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.