

Datasheet for ABIN1537513  
**anti-DAD1 antibody (C-Term)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	400 µL
Target:	DAD1
Binding Specificity:	AA 64-92, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DAD1 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	This DAD1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 64-92 amino acids from the C-terminal region of human DAD1.
Clone:	RB37100
Isotype:	Ig Fraction
Predicted Reactivity:	B, M, Pig, Rat
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	DAD1
Alternative Name:	DAD1 ( <a href="#">DAD1 Products</a> )

## Target Details


Background:	DAD1, the defender against apoptotic cell death, was initially identified as a negative regulator of programmed cell death in the temperature sensitive tsBN7 cell line. The DAD1 protein disappeared in temperature-sensitive cells following a shift to the nonpermissive temperature, suggesting that loss of the DAD1 protein triggered apoptosis. DAD1 is believed to be a tightly associated subunit of oligosaccharyltransferase both in the intact membrane and in the purified enzyme, thus reflecting the essential nature of N-linked glycosylation in eukaryotes. [provided by RefSeq].
Molecular Weight:	12497
Gene ID:	1603
NCBI Accession:	<a href="#">NP_001335</a>
UniProt:	<a href="#">P61803</a>

## Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	DAD1 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



#### Western Blotting

**Image 1.** DAD1 Antibody (C-term) (ABIN1537513 and ABIN2849048) western blot analysis in WiDr cell line lysates (35 µg/lane). This demonstrates the DAD1 antibody detected the DAD1 protein (arrow).