

Datasheet for ABIN1537588
anti-PCDHA10 antibody (C-Term)[Go to Product page](#)

1 Image

Overview

Quantity:	400 µL
Target:	PCDHA10
Binding Specificity:	AA 771-798, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PCDHA10 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This PCDHA10 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 771-798 amino acids from the C-terminal region of human PCDHA10.
Clone:	RB37507
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	PCDHA10
Alternative Name:	PCDHA10 (PCDHA10 Products)
Background:	This gene is a member of the protocadherin alpha gene cluster, one of three related gene

Target Details

clusters tandemly linked on chromosome five that demonstrate an unusual genomic organization similar to that of B-cell and T-cell receptor gene clusters. The alpha gene cluster is composed of 15 cadherin superfamily genes related to the mouse CNR genes and consists of 13 highly similar and 2 more distantly related coding sequences. The tandem array of 15 N-terminal exons, or variable exons, are followed by downstream C-terminal exons, or constant exons, which are shared by all genes in the cluster. The large, uninterrupted N-terminal exons each encode six cadherin ectodomains while the C-terminal exons encode the cytoplasmic domain. These neural cadherin-like cell adhesion proteins are integral plasma membrane proteins that most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been observed and additional variants have been suggested but their full-length nature has yet to be determined.


Molecular Weight:	102875
Gene ID:	56139
NCBI Accession:	NP_061724 , NP_114065 , NP_114066
UniProt:	Q9Y5I2

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	PCDHA10 Antibody (C-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



Western Blotting

Image 1. PCDHA10 Antibody (C-term) (ABIN1537588 and ABIN2849084) western blot analysis in HL-60 cell line lysates (35 µg/lane). This demonstrates the PCDHA10 antibody detected the PCDHA10 protein (arrow).