

Datasheet for ABIN1538509
anti-UBAP2L antibody (AA 575-601)[Go to Product page](#)

2 Images

Overview

Quantity:	400 µL
Target:	UBAP2L
Binding Specificity:	AA 575-601
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UBAP2L antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This UBAP2L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 575-601 amino acids from the Central region of human UBAP2L.
Clone:	RB39938
Isotype:	Ig Fraction
Predicted Reactivity:	M
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	UBAP2L
Alternative Name:	UBAP2L (UBAP2L Products)

Target Details


Background:	UBAP2L contains 1 UBA domain and has 3 named isoforms. UBA domains are a commonly occurring sequence motif of approximately 45 amino acid residues that are found in diverse proteins involved in the ubiquitin/proteasome pathway, DNA excision-repair, and cell signalling via protein kinases. The function of this protein is not known.
Molecular Weight:	114535
Gene ID:	9898
NCBI Accession:	NP_001120792 , NP_055662
UniProt:	Q14157
Pathways:	SARS-CoV-2 Protein Interactome , The Global Phosphorylation Landscape of SARS-CoV-2 Infection

Application Details

Application Notes:	WB: 1:1000. WB: 1:1000
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	UBAP2L Antibody (Center) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



Western Blotting

Image 1. Anti-UBL Antibody (Center) at 1:1000 dilution + Jurkat whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 115 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.



Western Blotting

Image 2. UBL Antibody (Center) (ABIN1538509 and ABIN2838139) western blot analysis in 293 cell line lysates (35 µg/lane). This demonstrates the UBL antibody detected the UBL protein (arrow).