antibodies - online.com







anti-NRIP1 antibody (AA 586-613)





\sim						
	1//	Д	r۱	/1	\triangle	٨

Alternative Name:

Background:

the state of the s	
Quantity:	400 μL
Target:	NRIP1
Binding Specificity:	AA 586-613
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NRIP1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This RIP140 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 586-613 amino acids from the Central region of human RIP140.
Clone:	RB21301
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	NRIP1

Nuclear receptor interacting protein 1 (NRIP1) is a nuclear protein that specifically interacts

RIP140 (NRIP1 Products)

Target Details


	with the hormone-dependent activation domain AF2 of nuclear receptors. Also known as RIP140, this protein modulates transcriptional activity of the estrogen receptor.
Molecular Weight:	126942
Gene ID:	8204
NCBI Accession:	NP_003480
UniProt:	P48552
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	RIP140 Antibody (Center) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



Western Blotting

Image 1. Anti-RI Antibody (Center) at 1:1000 dilution + Hela whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 127 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.