# antibodies - online.com







## anti-DLEC1 antibody (AA 879-908)



Image



$\sim$	
( )\/△	rview
$\cup$	1 410 44

Overview	
Quantity:	400 μL
Target:	DLEC1
Binding Specificity:	AA 879-908
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DLEC1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This DLEC1 antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 879-908 amino acids from the Central region of human DLEC1.
Clone:	RB19455
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	DLEC1
Alternative Name:	DLEC1 (DLEC1 Products)
Background:	This gene contains 37 exons, spans approximately 59-kb, and is located in the 3p22-p21.3

#### **Target Details**

	chromosomal segment that is commonly deleted in various carcinomas. Several alternatively
	spliced transcripts have been observed that contain disrupted coding regions and likely encode
	nonfunctional proteins. Aberrant transcription of this gene may be involved in carcinogenesis of
	the lung, esophagus, and kidney.
Molecular Weight:	195684
Gene ID:	9940
NCBI Accession:	NP_031361, NP_031363


UniProt: Q9Y238

### **Application Details**

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	DLEC1 Antibody (Center) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



#### **Western Blotting**

Image 1. Anti-DLEC1 Antibody (Center) at 1:1000 dilution + human testis lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 196 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.