antibodies - online.com







anti-UNKL antibody (N-Term)





)\/(

Overview	
Quantity:	400 μL
Target:	UNKL
Binding Specificity:	AA 1-30, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UNKL antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This UNKL antibody is generated from rabbits immunized with a KLH conjugated synthetic
	peptide between 1-30 amino acids from the N-terminal region of human UNKL.
Clone:	RB36532
Isotype:	Ig Fraction
Predicted Reactivity:	M
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	UNKL
Alternative Name:	UNKL (UNKL Products)

Target Details


Background:	UNKL may participate in a protein complex showing an E3 ligase activity regulated by RAC1. Ubiquitination is directed towards itself and possibly other substrates, such as SMARCD2/BAF60b. Intrinsic E3 ligase activity has not been proven.
Molecular Weight:	73828
Gene ID:	64718
NCBI Accession:	NP_001032202, NP_001180317, NP_001180318, NP_001263343
UniProt:	Q9H9P5


Application Details

Application Notes:	WB: 1:1000. WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	UNKL Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months





Western Blotting

Image 1. Western blot analysis of UNKL (arrow) using rabbit polyclonal UNKL Antibody (N-term) (ABIN1538817 and ABIN2848922). 293 cell lysates (2 μ g/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the UNKL gene.

Western Blotting

Image 2. UNKL Antibody (N-term) (ABIN1538817 and ABIN2848922) western blot analysis in A549 cell line lysates (35 μ g/lane). This demonstrates the UNKL antibody detected the UNKL protein (arrow).