



[Go to Product page](#)

Datasheet for ABIN1538825  
**anti-RAB32 antibody (N-Term)**

1 Image

Overview

Quantity:	400 µL
Target:	RAB32
Binding Specificity:	AA 2-28, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RAB32 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This RAB32 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 2-28 amino acids from the N-terminal region of human RAB32.
Clone:	RB37510
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

Target Details

Target:	RAB32
Alternative Name:	RAB32 ( <a href="#">RAB32 Products</a> )
Background:	Small GTP-binding proteins of the RAB family, such as RAB32, play essential roles in vesicle

## Target Details

---

and granule targeting (Bao et al., 2002 [PubMed 11784320]).

Molecular Weight: 24997

Gene ID: 10981

NCBI Accession: [NP\\_006825](#)

UniProt: [Q13637](#)

## Application Details

---

Application Notes: WB: 1:1000

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: RAB32 Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.

Expiry Date: 6 months



### Western Blotting

**Image 1.** Anti-RAB32 Antibody (N-term) at 1:1000 dilution + SK-BR-3 whole cell lysate. Lysates/proteins at 20  $\mu$ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 25 kDa. Blocking/Dilution buffer: 5 % NFDM/TBST.