.-online.com antibodies

Datasheet for ABIN1539262 anti-ZNF500 antibody (N-Term)

2 Images



Overview

Quantity:	400 µL
Target:	ZNF500
Binding Specificity:	AA 28-54, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF500 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	This ZNF500 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 28-54 amino acids from the N-terminal region of human ZNF500.
Clone:	RB39555
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.


Target Details

Target:	ZNF500
Alternative Name:	ZNF500 (ZNF500 Products)
Background:	ZNF500 may be involved in transcriptional regulation.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1539262 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Molecular Weight:	53674
Gene ID:	26048
NCBI Accession:	NP_067678
UniProt:	O60304
Application Details	
Application Notes:	WB: 1:1000. WB: 1:1000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	ZNF500 Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months


Images



Western Blotting

Image 1. Western blot analysis of lysate from K562 cell line, using ZN Antibody (N-term) (ABIN1539262 and ABIN2850403). (ABIN1539262 and ABIN2850403) was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:10000 dilution was used as the secondary antibody. Lysate at 20 μg.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1539262 | 09/11/2023 | Copyright antibodies-online. All rights reserved.



Western Blotting

Image 2. ZN Antibody (N-term) (ABIN1539262 and ABIN2850403) western blot analysis in HepG2 cell line lysates ($35 \mu g$ /lane).This demonstrates the ZN antibody detected the ZN protein (arrow).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1539262 | 09/11/2023 | Copyright antibodies-online. All rights reserved.