antibodies -online.com







anti-SLU7 antibody (N-Term)



Image



| Overview | |
|----------|--|
| | |

Alternative Name:

Target Type:

| Quantity: | 400 μL |
|--|--|
| Target: | SLU7 |
| Binding Specificity: | AA 60-86, N-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Application: | Western Blotting (WB) |
| Product Details | |
| | |
| Immunogen: | This SLU7 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 60-86 amino acids from the N-terminal region of human SLU7. |
| Immunogen: Clone: | |
| | peptide between 60-86 amino acids from the N-terminal region of human SLU7. |
| Clone: | peptide between 60-86 amino acids from the N-terminal region of human SLU7. RB38451 |
| Clone: | peptide between 60-86 amino acids from the N-terminal region of human SLU7. RB38451 Ig Fraction |
| Clone: Isotype: Predicted Reactivity: | peptide between 60-86 amino acids from the N-terminal region of human SLU7. RB38451 Ig Fraction B, C, Zf, Pr, M, Rat, X |
| Clone: Isotype: Predicted Reactivity: Purification: | peptide between 60-86 amino acids from the N-terminal region of human SLU7. RB38451 Ig Fraction B, C, Zf, Pr, M, Rat, X |

SLU7 (SLU7 Products)

Influenza Protein

Target Details

Storage Comment:


Expiry Date:

keep at -20 °C.

6 months

| _ | |
|---------------------|---|
| Background: | Pre-mRNA splicing occurs in two sequential transesterification steps. The protein encoded by this gene is a splicing factor that has been found to be essential during the second catalytic step in the pre-mRNA splicing process. It associates with the spliceosome and contains a zinc knuckle motif that is found in other splicing factors and is involved in protein-nucleic acid and protein-protein interactions. [provided by RefSeq]. |
| Molecular Weight: | 68387 |
| Gene ID: | 10569 |
| NCBI Accession: | NP_006416 |
| UniProt: | 095391 |
| Pathways: | Ribonucleoprotein Complex Subunit Organization, SARS-CoV-2 Protein Interactome |
| Application Details | |
| Application Notes: | WB: 1:1000 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| | |

SLU7 Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage,



Western Blotting

Image 1. SLU7 Antibody (N-term) (ABIN1539489 and ABIN2849890) western blot analysis in Jurkat cell line lysates (35 μ g/lane). This demonstrates the SLU7 Antibody detected the SLU7 protein (arrow).