
antibodies .- online.com







anti-THAP10 antibody (N-Term)



Image



\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	400 μL
Target:	THAP10
Binding Specificity:	AA 83-112, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This THAP10 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 83-112 amino acids from the N-terminal region of human THAP10.
Clone:	RB26260
Isotype:	lg Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	THAP10
Alternative Name:	THAP10 (THAP10 Products)
Background:	This gene encodes a member of a family of proteins sharing an N-terminal Thanatos- associated domain. The Thanatos-associated domain contains a zinc finger signature similar to DNA-binding domains. This gene is part of a bidirectional gene pair on the long arm of


Target Details

	chromosome 15 that is regulated by estrogen and may play a role in breast cancer.
Molecular Weight:	28351
Gene ID:	56906
NCBI Accession:	NP_064532
UniProt:	Q9P2Z0
Application Details	

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	THAP10 Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.
Expiry Date:	6 months



Western Blotting

Image 1. TH Antibody (N-term) (ABIN1539623 and ABIN2849821) western blot analysis in WiDr cell line lysates (35 μ g/lane).This demonstrates the TH Antibody detected the TH protein (arrow).