antibodies - online.com







anti-ICA1 antibody (N-Term)





U	V	er	V	Iе	M

Background:

Quantity:	400 μL	
Target:	ICA1	
Binding Specificity:	AA 84-111, N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	This ICA1 antibody is generated from rabbits immunized with a KLH conjugated syntheti	
	peptide between 84-111 amino acids from the N-terminal region of human ICA1.	
Clone:	RB36301	
Isotype:	Ig Fraction	
Predicted Reactivity:	M, Rat	
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.	
Target Details		
Target:	ICA1	
Alternative Name:	ICA1 (ICA1 Products)	

This gene encodes a protein with an arfaptin homology domain that is found both in the cytosol

Target Details

been described, however, not all variants have been fully characterized.
Sjogren's syndrome. Alternatively spliced variants which encode different protein isoforms have
protein is believed to be an autoantigen in insulin-dependent diabetes mellitus and primary
and as membrane-bound form on the Golgi complex and immature secretory granules. This

Gene ID: 3382

NCBI Accession: NP_001129492, NP_004959, NP_071682

UniProt: Q05084


Application Details

Application Notes: WB: 1:1000

Restrictions: For Research Use only

Handling

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	ICA1 Antibody (N-term) can be refrigerated at 2-8 °C for up to 6 months. For long term storage, keep at -20 °C.	
Expiry Date:	6 months	



Western Blotting

Image 1. ICA1 Antibody (N-term) (ABIN1539626 and ABIN2848494) western blot analysis in NCI- cell line lysates (35 μ g/lane).This demonstrates the ICA1 antibody detected the ICA1 protein (arrow).