

Datasheet for ABIN1574103
anti-ENO2/NSE antibody (N-Term)[Go to Product page](#)

3 Images

Overview

Quantity:	40 µg
Target:	ENO2/NSE (ENO2)
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	KLH-coupled synthetic peptide from N-terminal of human NSE .
Isotype:	IgG
Specificity:	Rabbit Anti-NSE Polyclonal Antibody detects endogenous levels of human, mouse, and rat NSE protein. It may cross-reacts with beta enolase according to sequence homology.
Cross-Reactivity (Details):	Rabbit Anti-NSE Polyclonal Antibody detects endogenous levels of human, mouse, and rat NSE protein. It may cross-reacts with beta enolase according to sequence homology.
Purification:	Immunoaffinity chromatography

Target Details

Target:	ENO2/NSE (ENO2)
Alternative Name:	NSE (ENO2 Products)

Target Details

Background:	Enolase is a glycolytic enzyme that catalyzes the conversion of 2-phosphoglycerate to phosphoenolpyruvate. Mammalian enolase has three subunits (alpha, beta and gamma) that can form homo and heterodimers. Homodimers of gamma enolase are neuronal-specific. NSE (neuron specific enolase) is expressed primarily in neurons. It is also found in elevated levels in plasma in certain neoplasias including pediatric neuroblastoma and small cell lung cancer. NSE is widely used as a diagnostic marker in a variety of clinical assays. Rabbit Anti-NSE Polyclonal Antibody is developed in rabbit using a KLH-coupled synthetic peptide from N-terminal of human NSE (Swiss Prot: P09104).
-------------	---

Application Details

Application Notes:	Working concentrations for specific applications should be determined by the investigator. The appropriate concentrations may be affected by secondary antibody affinity, antigen concentration, the sensitivity of the method of detection, temperature, the length of the incubations, and other factors. The suitability of this antibody for applications other than those listed below has not been determined. The following concentration ranges are recommended starting points for this product. ELISA: 0.05-0.2 µg/mL Western blot: 0.5-1 µg/mL Immunohistochemistry: 5-10 µg/mL Other Applications: user-optimized
--------------------	---

Restrictions:	For Research Use only
---------------	-----------------------


Handling

Format:	Lyophilized
Buffer:	PBS, pH 7.4, containing 0.02 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled. Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute azide-containing compounds in running water before discarding to avoid accumulation of potentially explosive deposits in lead or copper plumbing.
Storage:	4 °C/-20 °C

Handling

Storage Comment: The antibody is stable in lyophilized form if stored at -20°C or below. The reconstituted antibody can be stored for 2-3 weeks at 2-8°C. For long term storage, aliquot and store at -20°C or below. Avoid repeated freezing and thawing cycles.

Images



Western Blotting

Image 1. Western blot analysis of cell lysates using 1 µg/mL Rabbit Anti-NSE Polyclonal Antibody (ABIN398879) The signal was developed with IRDye™ 800 Conjugated Goat Anti-Rabbit IgG. Predicted Size: 47 KD Observed Size: 47 KD

Western Blotting

Image 2. Western blot analysis of cell and tissue lysates using 1 µg/mL Rabbit Anti-NSE Polyclonal Antibody (ABIN398879) The signal was developed with IRDye™ 800 Conjugated Goat Anti-Rabbit IgG. Predicted Size: 47 KD Observed Size: 47 KD.

Immunohistochemistry

Image 3. Immunohistochemistry analysis of human brain tissue slide (Paraffin embedded) using Rabbit Anti-NSE Polyclonal Antibody (Left, ABIN398879) and Purified Rabbit IgG (Whole molecule) Control (Right, ABIN398653)