antibodies -online.com







anti-Influenza A Virus Neuraminidase antibody



Overview	
Quantity:	40 μg
Target:	Influenza A Virus Neuraminidase (NA)
Reactivity:	Influenza A Virus H1N1
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Influenza A Virus Neuraminidase antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	purified recombinant full-length Influenza A (H1N1) 2009 virus NA protein (GenBank: CY040001)
Isotype:	lgG2a
Specificity:	H1N1 NA Antibody (3F11D7), mAb, Mouse detects influenza A (H1N1) NA protein.
Purification:	Protein A affinity column
Target Details	
Target:	Influenza A Virus Neuraminidase (NA)
Alternative Name:	H1N1 NA (NA Products)
Target Type:	Influenza Protein
Background:	Influenza A (H1N1) virus is a subtype of influenzavirus A and the most common cause of

influenza (flu) in humans. A strain of swine-origin H1N1 was responsible for the 2009 flu pandemic. Neuraminidase (NA), a single-pass type II membrane homotetramer, is a major membrane glycoproteins found on the surface of influenza virus. It cleaves the hemagglutinin HA-sialic acid bondage from the newly formed virions and the host cell receptors during budding. Therefore, NA is described as a receptor-destroying enzyme which facilitates virus release and efficient spread of the progeny virus from cell to cell. H1N1 NA Antibody (3F11D7), mAb, Mouse is produced from the hybridoma resulting from fusion of SP2/0-Ag14 myeloma and B-lymphocytes obtained from Mouse immunized with purified recombinant full-length Influenza A (H1N1) 2009 virus NA protein (GenBank: CY040001).

Application Details

Λωω	lication	110+00.
$\Delta \Pi \Pi$	แตลแดก	NOTES

Working concentrations for specific applications should be determined by the investigator. The appropriate concentrations may be affected by secondary antibody affinity, antigen concentration, the sensitivity of the method of detection, temperature, the length of the incubations, and other factors. The suitability of this antibody for applications other than those listed below has not been determined. The following concentration ranges are recommended starting points for this product.

Western Blot: 1-2 µg/mL

Restrictions:

For Research Use only

Handling

Format:	Lyophilized	
Buffer:	PBS, pH 7.4, containing 0.02 % sodium azide	
Preservative:	Sodium azide	
Precaution of Use:	WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.	
	Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or	
	eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a	
	physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute	
	azide-containing compounds in running water before discarding to avoid accumulation of	
	potentially explosive deposits in lead or copper plumbing.	
Storage:	4 °C/-20 °C	
Storage Comment:	The antibody is stable in lyophilized form if stored at -20°C or below. The reconstituted antibody	
	can be stored for 2-3 weeks at 2-8°C. For long term storage, aliquot and store at -20°C or below.	

Avoid repeated freezing and thawing cycles.