## .-online.com antibodies

## Datasheet for ABIN1590046 anti-BEND5 antibody (C-Term)

Image



## Overview


Quantity:	100 µg
Target:	BEND5
Binding Specificity:	C-Term
Reactivity:	Human, Mouse
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This BEND5 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

## Product Details

Purpose:	BEND5
Sequence:	CKNEERREAK YNLQ
lsotype:	lgG
Cross-Reactivity:	Cow, Dog, Human, Mouse, Rat
Purification:	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Grade:	Verified
Target Details	
Target:	BEND5

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1590046 | 12/22/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	BEND5 (BEND5 Products)
Background:	BEND5, BEN domain containing 5, C1orf165
Gene ID:	79656, 67621, 362564
NCBI Accession:	NP_078879
Application Details	
Application Notes:	Western Blot: Approx 48 kDa band observed in Human Tonsil and Spleen and Mouse Spleen
	lysates and also in lysates of cell line Daudi (calculated MW of 48.2 kDa according to
	NP_078879.2). Recommended concentration: 0.3-1 µg/mL.
	Peptide ELISA: antibody detection limit dilution 1:128000.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	0.5 mg/mL
Buffer:	Supplied at 0.5 mg/mL in Tris saline, 0.02 % sodium azide, pH 7.3 with 0.5 % bovine serum albumin.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Handling Advice:	Minimize freezing and thawing.
Storage:	-20 °C
Storage Comment:	Aliquot and store at -20°C, with minimal freeze/thawing. A working aliquot may be refrigerated at 4°C for a few weeks and still remain viable.



**Image 1.** ABIN1590046 (0.3 µg/mL) staining of Daudi (A), Human Tonsil (B), Human Spleen (C) and Mouse Spleen (D) lysates (35 µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1590046 | 12/22/2023 | Copyright antibodies-online. All rights reserved.