# antibodies -online.com





## anti-Cystatin antibody



( )	ve	K\ /		
	$\cup$	1 V/	Щ.	V۷

Quantity:	200 μg
Target:	Cystatin
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Cystatin antibody is un-conjugated
Application:	ELISA, Immunoprecipitation (IP)

#### **Product Details**

Isotype:	IgG
Specificity:	Human Cystatin. Reacts with human APOA1 protein.
Cross-Reactivity (Details):	Cross-reactivity to other family member not tested.

#### **Target Details**

Target:	Cystatin
Abstract:	Cystatin Products
Background:	Native human Cystatin C protein . Cystatin C encoded by the CST3 gene, is mainly used as a
	biomarker of kidney function. Recently, it has been studied for its role in predicting new-onset o
	deteriorating cardiovascular disease. It also seems to play a role in brain disorders involving
	amyloid (a specific type of protein deposition), such as Alzheimer's disease.
NCBI Accession	NP 000090

### **Application Details**

Application Notes:	Suggsted dilution: ELISA 1:1000-1:100.000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Each vial contains 200 μg purified IgG in 100 μL PBS with less than 0.1 % gelatin and 0.1 %
	sodium Azide.
Preservative:	Sodium azide
Precaution of Use:	Non-hazardous
Handling Advice:	Do not freeze
Storage:	4 °C
Storage Comment:	Store at 4 °C, stable for 1 year from the date of shipment.
Expiry Date:	1 year