
antibodies -online.com





CDA Protein (AA 1-294) (His tag)



Overview

Purity:

Quantity:	1 mg
Target:	CDA
Protein Characteristics:	AA 1-294
Origin:	Proteus mirabilis
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This CDA protein is labelled with His tag.
Application:	ELISA
Product Details	
Sequence:	MHTRFQAIWS DLSPQLQQAL TPYLEQDEFP AMFTAEQVNA LKTQLQCNDD ELALALLPVA
	AACAVTPISH FNVGAIARGE SGHFYFGANM EFAGAPLQQT VHAEQSAVTH AWLRGESRLV
	AITVNYTPCG HCRQFMNELN SGTHIAIHLP GRKVATLGDY LPDSFGPKDL NITTLLMDKV
	NHGYQIDNTS QLAQQALQAI NRSHAPYSHS HSGIAVQMKS GKIFQGSYAE NAAFNPSMPP
	LQAALIALNM AGENVMDIES AILIEKADSL LTQWDATQAT LTALGCRQIQ RVTL
Specificity:	Proteus mirabilis (strain HI4320)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien

> 90 %

cells or by baculovirus infection. Be aware about differences in price and lead time.

Target Details

Target:	CDA
Alternative Name:	Cytidine deaminase (cdd) (CDA Products)
Background:	Recommended name: Cytidine deaminase.
	EC= 3.5.4.5.
	Alternative name(s): Cytidine aminohydrolase.
	Short name= CDA
UniProt:	B4ESY3

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.