

Datasheet for ABIN1608660 CDA Protein (AA 1-294) (His tag)



Overview

1 mg
CDA
AA 1-294
Serratia proteamaculans
Yeast
Recombinant
This CDA protein is labelled with His tag.
ELISA
MHPRFQTAFG ELPATLQSAL QSYIDAPDFP AMLKAEQVDA ITQRCGLDDD ALAFALLPLA
AACSLAPISQ FYVGAIARGQ SGNLYFGANM EFSGAPMQQT IHAEQCAVTH AWLRGEPALA
SITVNYTPCG HCRQFMNELN SGVSLKIRLP GREPATLGDY LPDSFGPKDL DITTLLMDQV
DHGFQLALTD ELEKAALAAA NQSHAPYSNA HSGVALEAED GTVYTGRYAE NAAFNPSLPP
LQAALILMNV SGDDCQKVKR AVLAEPESAI LTQWDATRAT LAALGCQNVS RITF
Serratia proteamaculans (strain 568)
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
alle ou bush and suite a infantion. De success about differences in mice and lead time.
cells or by baculovirus infection. Be aware about differences in price and lead time.
• • • • • • • • • • • • • • • • • • •

Target Details

Target:	CDA
Alternative Name:	Cytidine deaminase (cdd) (CDA Products)
Background:	Recommended name: Cytidine deaminase.
	EC= 3.5.4.5.
	Alternative name(s): Cytidine aminohydrolase.
	Short name= CDA
UniProt:	A8GC32

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.