antibodies -online.com





HDAC3 Protein (AA 1-428) (His tag)



Overview

Quantity:	1 mg
Target:	HDAC3
Protein Characteristics:	AA 1-428
Origin:	Orang-Utan
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This HDAC3 protein is labelled with His tag.
Application:	ELISA

Product Details	
Sequence:	MAKTVAYFYD PDVGNFHYGA GHPMKPHRLA LTHSLVLHYG LYKKMIVFKP YQASQHDMCR
	FHSEDYIDFL QRVSPTNMQG FTKSLNAFNV GDDCPVFPGL FEFCSRYTGA SLQGATQLNN
	KICDIAINWA GGLHHAKKFE ASGFCYVNDI VIGILELLKY HPRVLYIDID IHHGDGVQEA
	FYLTDRVMTV SFHKYGNYFF PGTGDMYEVG AESGRYYCLN VPLRDGIDDQ SYKHLFQPVI
	NQVVDFYQPT CIVLQCGADS LGCDRLGCFN LSIRGHGECV EYVKSFNIPL LVLGGGGYTV
	RNVARCWTYE TSLLVEEAIS EELPYSEYFE YFAPDFTLHP DVSTRIENQN SRQYLDQIRQ
	TIFENLKMLN HAPSVQIRDV PAGLLTYDRT DEADAEERGP EENYSRPEAP NEFYDGDHDN
	DKESDVEI
Specificity:	Pongo abelii (Sumatran orangutan)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.

Product Details > 90 % Purity: **Target Details** Target: HDAC3 Abstract: **HDAC3** Products Background: Recommended name: Histone deacetylase 3. Short name= HD3. EC= 3.5.1.98 UniProt: **Q5RB76** Pathways: Neurotrophin Signaling Pathway, Regulation of Lipid Metabolism by PPARalpha, Regulation of Muscle Cell Differentiation, Skeletal Muscle Fiber Development **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only Handling

Format: Lyophilized Concentration: 0.2-2 mg/mL Buffer: Tris-based buffer, 50 % glycerol Handling Advice: Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week

Handling

Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.