antibodies -online.com





PPARA Protein (AA 1-468) (His tag)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	1 mg
Target:	PPARA
Protein Characteristics:	AA 1-468
Origin:	Koala
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This PPARA protein is labelled with His tag.
Application:	ELISA

Product Details		
Sequence:	MVDTESQICP LSPFGDDDLE SPLSEEFLQE MGSIQEISPS IGDDSSGTFA FAEYRCLGSG	
	PGSDGSIITD TLSPASSPSS VSYTPIAGSA DDSSSATLNI ECRICGDKAS GYHYGVHACE	
	GCKGFFRRTI RLKLAYDKCD RSCKIQKKNR NKCQYCRFQK CLSDGMSHNA IRFGRMPRSE	
	KAKLKAEILT CEHDLEDSEV ADLKSLAKRI YEAYLKNFNM NKIKARIILA GKASNNPPFV	
	IHDMETLCMA EKTLVAKLVA NGIQNKEAEV RIFHCCQCTS VETVTELTEF AKSIPGFSNL	
	NLNDQVTLLK YGVYEAIFAM LSSVMNKDGM LVAYGNGFIT REFLKSLRKP FCDIMEPKFD	
	FAMKFNALEL DDSDISLFVA AIICCGDRPG LLNVGHIERM QESIVHVLQL HLQNNHPDDV	
	FLFPKLLQKM ADLRQLVTEH AQLVQVIKKT ESDAALHPLL QEIYRDMY	
Specificity:	Phascolarctos cinereus (Koala)	
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien	
	cells or by baculovirus infection. Be aware about differences in price and lead time.	

Product Details > 90 % Purity: **Target Details** Target: **PPARA** Abstract: **PPARA Products** Background: Recommended name: Peroxisome proliferator-activated receptor alpha. Short name= PPAR-alpha. Alternative name(s): Nuclear receptor subfamily 1 group C member 1 UniProt: Q8HYL6 Pathways: Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway, Regulation of Lipid Metabolism by PPARalpha, Regulation of Carbohydrate Metabolic Process, Hepatitis C **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only

Handling

Format:

Concentration:

0.2-2 mg/mL

Buffer:

Tris-based buffer, 50 % glycerol

Handling Advice:

Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week

Handling

Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.