



[Go to Product page](#)

## Datasheet for ABIN1617138 PPIC Protein (AA 1-212) (His tag)

### Overview

Quantity:	1 mg
Target:	PPIC
Protein Characteristics:	AA 1-212
Origin:	Cow
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This PPIC protein is labelled with His tag.
Application:	ELISA

### Product Details

Sequence:	MGPGLRPLLP LVLCVGLSAL VPSAGASGFR KRGPSVTAKV FFDVRIGDKD VGRIVIGLFG KVVPKTVENF VALATGEKGY GYKGSKFHRV IKDFMIQGGD FTRGDGTGGI SIYGETFPDE NFKLKHYGIG WWSMANAGPD TNGSQFFITL TKPTWLDGKH VVFGKVLDMG TVVHSIELQA TDGHDRPFTD CSIVNSGKID VKTPFVVEVS DW
Specificity:	Bos taurus (Bovine)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

### Target Details

Target:	PPIC
---------	------

## Target Details

Alternative Name:	Peptidyl-prolyl cis-trans isomerase C (PPIC) ( <a href="#">PPIC Products</a> )
Background:	Recommended name: Peptidyl-prolyl cis-trans isomerase C. Short name= PPlase C. EC= 5.2.1.8. Alternative name(s): Cyclophilin C Rotamase C
UniProt:	<a href="#">Q08E11</a>

## Application Details

Comment:	The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modiflicated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.