antibodies -online.com





Msx2/Hox8 Protein (AA 1-267) (His tag)



Overview

| 1 mg |
|--|
| Msx2/Hox8 (Msx2) |
| AA 1-267 |
| Cow |
| Yeast |
| Recombinant |
| This Msx2/Hox8 protein is labelled with His tag. |
| ELISA |
| |
| MASPSKGNDL FSSDEEGPAM VAGPGPGPGG AEGAAEERRV KVSSLPFSVE ALMSDKKPPK |
| ETSPRPAESA SAGATLRPLL LPGHGVREAH SPGPLVKPFE TASVKSENSE DGAAWMQEPG |
| RYSPPPRHMS PTTCTLRKHK TNRKPRTPFT TSQLLALERK FRQKQYLSIA ERAEFSSSLN |
| LTETQVKIWF QNRRAKAKRL QEAELEKLKM AAKPMLPSGF SLPFPINSPL QAASLYGASY |
| PFHRPVLPIP PVGLYATPVG YGMYHLS |
| Bos taurus (Bovine) |
| Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien |
| cells or by baculovirus infection. Be aware about differences in price and lead time. |
| |
| |

Target Details

| Target: | Msx2/Hox8 (Msx2) |
|-------------------|---|
| Alternative Name: | Homeobox protein MSX-2 (MSX2) (Msx2 Products) |
| Background: | Recommended name: Homeobox protein MSX-2 |
| UniProt: | Q0P5C3 |

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

| Format: | Lyophilized |
|------------------|---|
| Concentration: | 0.2-2 mg/mL |
| Buffer: | Tris-based buffer, 50 % glycerol |
| Handling Advice: | Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week |
| Storage: | -20 °C |
| Storage Comment: | Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C. |