antibodies -online.com





AKT2 Protein (AA 1-486) (His tag)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	1 mg
Target:	AKT2
Protein Characteristics:	AA 1-486
Origin:	Xenopus laevis
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This AKT2 protein is labelled with His tag.
Application:	ELISA

Product Details		
Sequence:	MNEVMVIKEG WLQKRGEYIK TWRPRYFLLK SDGSFIGYKE KPESTEHNVV LPPLNNFSVA	
	ECQLMKTERP RPNTFVIRCL QWTTVIERTF HVDTPEEREE WIIAIQTVAN GLKNQVPEDE	
	EEEAMEVKYG SPSDVSSAEQ MDVAMSKGHP KVTMNDFDYL KLLGKGTFGK VILVREKATG	
	RYYAMKILRK EVIIAKDEVA HTLTESRVLQ NTKHPFLTAL KYAFQTSDRL CFVMEYANGG	
	ELFFHLSRER VFTEDRARFY GAEIVSALEY LHSRNVVYRD IKLENLMLDK DGHVKITDFG	
	LCKEGITDGA TMRTFCGTPE YLAPEVLEDN DYGRAVDWWG LGVVMYEMMC GRLPFYNQDH	
	ERLFELILME EIRFPRTLSP EAKSLLAGLL KKDPKQRLGG GPNDAQEVMS HRFFVSINWQ	
	DVTERKLTPP FKPQVTSEID TRYFDDEFTA QSITLTPPDR YDNLDALESD QRPHFPQFSY SASIRE	
Specificity:	Xenopus laevis (African clawed frog)	
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien	
	cells or by baculovirus infection. Be aware about differences in price and lead time.	

Product Details > 90 % Purity: **Target Details** Target: AKT2 Alternative Name RAC-beta serine/threonine-protein kinase A (akt2-a) (AKT2 Products) Background: Recommended name: RAC-beta serine/threonine-protein kinase A. EC= 2.7.11.1. Alternative name(s): Protein kinase Akt-2-A Protein kinase B, beta-A. Short name= PKB beta-A RAC-PK-beta-A UniProt: Q7ZX15 PI3K-Akt Signaling, RTK Signaling, AMPK Signaling, TLR Signaling, Cellular Glucan Metabolic Pathways: Process, Regulation of Carbohydrate Metabolic Process, Hepatitis C, VEGF Signaling **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only Handling Format: Lyophilized Concentration: 0.2-2 mg/mL Buffer: Tris-based buffer, 50 % glycerol

one week

Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to

Handling Advice:

Handling

Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.