antibodies -online.com





SHC1 Protein (AA 1-465) (His tag)



Overview

Quantity:	1 mg
Target:	SHC1
Protein Characteristics:	AA 1-465
Origin:	Xenopus laevis
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This SHC1 protein is labelled with His tag.
Application:	ELISA

Product Details	
Sequence:	MNKLSCGRKS RVEGGQLAGD EWTRHGSFVN KPTRGWLHPD DKVMGPGVPY LVRYMGCVEV
	LQSMRALDFN TRTQVTREAI SLVCDAVPGA KGAMRRRKTC GRSLNSILGK SNLKFAGMPI
	TLTVSTSSLN LMASDCKQII ANHHMQSISF ASGGDPDTAE YVAYVAKDPV NQRACHILEC
	PEGLAQDVIS TIGQAFELRF KQYLKNPPKL VTPHDRMAGF DGSAWDEEEE ELPDHAYYND
	FPGKEPPIGG VVDMRLRDGA APAVLRQSPN HMGATLPVGQ VSGAEQDSRK MQPTLQGRER
	FPVPCSRPPN RPDLFDDPSY VNVQNLEKSR QPLRAANGQR DIFDMKPFDD ALPSAQAIVS
	MEDQLKREPW YQGKMSRKEA ERLLKVNGDF LVRESTTTPG QYVLTGLQCG QPKHLLLVDP
	EGVVRTKDHR FESVSHLISY HMDNHLPIIS AGSELCLQQP VERRQ
Specificity:	Xenopus laevis (African clawed frog)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.

Product Details > 90 % Purity: **Target Details** SHC1 Target: Alternative Name SHC-transforming protein 1 (shc1) (SHC1 Products) Background: Recommended name: SHC-transforming protein 1. Alternative name(s): Src homology 2 domain-containing-transforming protein C1. Short name= SH2 domain protein C1 p60Shc UniProt: **Q8AY68** Pathways: RTK Signaling, TCR Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, ER-Nucleus Signaling, Signaling Events mediated by VEGFR1 and VEGFR2 **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only Handling Format: Lyophilized Concentration: 0.2-2 mg/mL Buffer: Tris-based buffer, 50 % glycerol

one week

Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to

Handling Advice:

Handling

Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.