antibodies -online.com





ISG20L2 Protein (AA 1-349) (His tag)



Overview

Quantity:	1 mg
Target:	ISG20L2
Protein Characteristics:	AA 1-349
Origin:	Cow
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This ISG20L2 protein is labelled with His tag.
Application:	ELISA

Product Details	
Sequence:	MSTLLLNLDF GEPPPKKALE GNAKHRKFVK KRRLLERKGF LNKKKQPPSK VPKLHSEPSQ KGETPRVDGT WKATPLPKKK TTAASSSGSE QSLDKKAAVP WLTPAPSQKA GSVVAKVDLL GEFQSALPKI KSHPTRPQKK GSQKNPPPKN GPQNSTHTHS ENKYSGVSQK IPGKMVAIDC EMVGTGPKGH VSSLARCSIV NYDGDVLYDE YILPPCHIVD YRTRWSGIRK QHMVNATPFK IARNQILKIL AGKIVVGHAI HNDFKALQYI HPKSLTRDTS HIPLLNRKAD CPENATMSLK
	SLTKKLLNRD IQAGKSGHSS VEDAQATMEL YKLVEVEWEQ HLAQNPPKD
Specificity:	Bos taurus (Bovine)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	ISG20L2
Alternative Name:	Interferon-stimulated 20 kDa exonuclease-like 2 (ISG20L2) (ISG20L2 Products)
Background:	Recommended name: Interferon-stimulated 20 kDa exonuclease-like 2. EC= 3.1
UniProt:	Q2YDK1

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.