

# Datasheet for ABIN1628171 PROSC Protein (AA 1-273) (His tag)



Go to Product page

_					
	W	0	rv	10	W

1 mg	
PROSC	
AA 1-273	
Cow	
Yeast	
Recombinant	
This PROSC protein is labelled with His tag.	
ELISA	
MWKAGSMSAE LGIGFALRAV NERVQQAVAR RPRDLPAIQP RLVAVSKTKP ADMVIEAYSH	
GQRTFGENYV QELLEKASNP QILSSCPEIK WHFIGHLQKQ NVNKLMAVPN LSMLETVDSV	
KLADKVNSAW QKKGSPERLK VMVQINTSGE ASKHGLPPAE MAALVEHINA KCPSLEFVGL	
MTIGSFGHDL SQGPNPDFQV LLSLREELCR KLGAPPEQVE LSMGMSVDFQ HAIEVGSTNV	
RIGSTIFGER DYSKKTDKPA AELQAPEEVA QAH	
Bos taurus (Bovine)	
Bos taurus (Bovine)	
Bos taurus (Bovine)  Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien	

#### **Target Details**

Target:	PROSC	
Alternative Name:	Proline synthase co-transcribed bacterial homolog protein (PROSC) (PROSC Products)	
Background:	Recommended name: Proline synthase co-transcribed bacterial homolog protein	
UniProt:	Q3T0G5	

## **Application Details**

#### Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

## Handling

Format:	Lyophilized	
Concentration:	0.2-2 mg/mL	
Buffer:	Tris-based buffer, 50 % glycerol	
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week	
Storage:	-20 °C	
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.	