

Datasheet for ABIN1628527 **BPHB Protein (AA 1-281) (His tag)**



Overview

1 mg
ВРНВ
AA 1-281
Comamonas sp.
Yeast
Recombinant
This BPHB protein is labelled with His tag.
ELISA
MKLTGEVALI TGGASGLGRA LVDRFVAEGA RVAVLDKSAE RLRELEVAHG GNAVGVVGDV
RSLQDQKRAA ERCLAAFGKI DTLIPNAGIW DYSTALADLP EDKIDAAFDD IFHVNVKGYI
HAVKACLPAL VSSRGSVVFT ISNAGFYPNG GGPLYTATKH AVVGLVRQMA FELAPHVRVN
GVAPGGMNTD LRGPSSLGLS EQSISSVPLA DMLKSVLPIG RMPALEEYTG AYVFFATRGD
SLPATGALLN YDGGMGVRGF LTAAGGADLP EKLNINREGQ E
Comamonas testosteroni (Pseudomonas testosteroni)
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
cells or by baculovirus infection. Be aware about differences in price and lead time.
·

Target Details

Target:	ВРНВ
Alternative Name:	Cis-2,3-dihydrobiphenyl-2,3-diol dehydrogenase (bphB) (BPHB Products)
Background:	Recommended name: Cis-2,3-dihydrobiphenyl-2,3-diol dehydrogenase.
	EC= 1.3.1.56.
	Alternative name(s): 2,3-dihydro-2,3-dihydroxybiphenyl dehydrogenase 2,3-dihydroxy-4-
	phenylhexa-4,6-diene dehydrogenase B2,3D Biphenyl-2,3-dihydro-2,3-diol dehydrogenase
	Biphenyl-cis-diol dehydrogenase
UniProt:	Q46381

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.