Datasheet for ABIN1629297

REGA Protein (AA 1-332) (His tag)

Go to Product page

Overview

Quantity:	1 mg
Target:	REGA
Protein Characteristics:	AA 1-332
Origin:	Clostridium
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This REGA protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	MATSIKDVAR EAGVSIATVS RVLNDIDVVN EDTKKKVLDA IKELGYRPNI VARSLKTQRT KTIGILLPDI SNQFYPEIVR GAEDVSNIYD YNIILCNSDL DIEKEKEYLR VLKEKMVDGV IYMSSSLRDE ILELINELDL KTVLVETRDK DGVLPSVTID NIKGSYDSTN LLIQKGIKDI AFIGTKKDNM NAWGDRYVGY EKAMNEAGIK IDPELLYLDS IKVKSGYEGI QHFLGLNKKF KGVVCASDDI AMGAINALRD NNMEVPKDVS VVGFNDNFAA SIFYPKITTV SQPTYDMGSV AMRMLIKLLN KKELDEPNYV LEHELIERES TI
Specificity:	Clostridium saccharobutylicum
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	REGA
Alternative Name:	HTH-type transcriptional regulator regA (regA) (REGA Products)
Background:	Recommended name: HTH-type transcriptional regulator regA
UniProt:	Q45831

Application Details

Comment:	The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.