antibodies .- online.com







Go to Product page

\sim			
	N/P	r\/	i⊢₩

0.1011		
Quantity:	1 mg	
Target:	MERD	
Protein Characteristics:	AA 1-121	
Origin:	Acinetobacter calcoaceticus	
Source:	Yeast	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This MERD protein is labelled with His tag.	
Application:	ELISA	
Product Details		
Sequence:	MSAYTVSRLA LDAGVSVHIV RDYLLRGLLR PVACTTGGYG LFDDTALQRL RFVRAAFEAG	
	IGLDALARLC RALDAADGDG ASAQLAVLRQ LVERRREALA SLEMQLAAMP TEPAQHAESL P	
Specificity:	Acinetobacter calcoaceticus	
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien	
	cells or by baculovirus infection. Be aware about differences in price and lead time.	
Purity:	> 90 %	
Target Details		
Target:	MERD	
Alternative Name:	HTH-type transcriptional regulator merD (merD) (MERD Products)	

Target Details

Background:	Recommended name: HTH-type transcriptional regulator merD. Alternative name(s): Mercuric resistance protein merD	
UniProt:	Q52110	

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized	
Concentration:	0.2-2 mg/mL	
Buffer:	Tris-based buffer, 50 % glycerol	
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week	
Storage:	-20 °C	
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.	