antibodies - online.com





AP2M1 Protein (AA 1-435) (His tag)



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	1 mg
Target:	AP2M1
Protein Characteristics:	AA 1-435
Origin:	Orang-Utan
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This AP2M1 protein is labelled with His tag.
Application:	ELISA

Product Details	
Sequence:	MIGGLFIYNH KGEVLIYRVY RDDIGRNAVD AFRVNVIHAR QQVRSPVTNI ARTSFFHVKR
	SNIWLAAVTK QNVDAAMVFE FLYKMCDVMA AYFGKISEEN IKNNFVLIYE LLDEILDFGY
	PQNSETGALK TFITQQGIKS QHQTKEEQSQ ITSQVTGQIG WRREGIKYRR NELFLDVLES
	VNLLMSPQGQ VLSAHVSGRV VMKSYLSGMP ECKFGMNDKI VIEKQGKGTA DETSKSGKQS
	IAIDDCTFHQ CVRLSKSDSE RSISFIPPDG EFELMRYRTT KDIILPFRVI PLVREVGRTK
	LEVKVVIKSN FKPSLLAQKI EVRIPTPLNT SGVQVICMKG KAKYKASENA IVWKIKRMAG
	MKESQISAEI ELLPTNDKKK WARPPISMNF EVPFAPSGLK VRYLKVFEPK LNYSDHDVIK
	WVRYIGRSGI YETRC
Specificity:	Pongo abelii (Sumatran orangutan)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.

Product Details > 90 % Purity: **Target Details** Target: AP2M1 Alternative Name AP-2 complex subunit mu (AP2M1) (AP2M1 Products) Background: Recommended name: AP-2 complex subunit mu. Alternative name(s): AP-2 mu chain Adapter-related protein complex 2 mu subunit Adaptor protein complex AP-2 subunit mu Clathrin assembly protein complex 2 medium chain Clathrin coat assembly protein AP50 Clathrin coat-associated protein AP50 HA2 50 kDa subunit Mu2adaptin Plasma membrane adaptor AP-2 50 kDa protein UniProt: Q5NVF7 Pathways: EGFR Signaling Pathway, Neurotrophin Signaling Pathway, EGFR Downregulation, SARS-CoV-2 Protein Interactome **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only Handling Format: Lyophilized Concentration: 0.2-2 mg/mL Buffer: Tris-based buffer, 50 % glycerol

Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to

Handling Advice:

Handling

	one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.