antibodies .- online.com





TNFAIP8 Protein (AA 1-198) (His tag)



Go to Product page

\sim			
	N/P	r\/I	i⊢₩

1 mg	
TNFAIP8	
AA 1-198	
Orang-Utan	
Yeast	
Recombinant	
This TNFAIP8 protein is labelled with His tag.	
ELISA	
MHSEAEESKE VATDVFNSKN LAVQAQKKIL GKMVSKSIAT TLIDDTSSEV LDELYRVTRE	
YTQNKKEAEK IIKNLIKTVI KLAILYRNNQ FNQDELALME KFKKKVHQLA MTVVSFHQVD	
YTFDRNVLSR LLNECREMLH QIIRRHLTAK SHGRVNNVFD HFSDCDFLAA LYNPFGNFKP	
HLQKLCDGIN KMLDEENI	
Pongo abelii (Sumatran orangutan)	
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien	
cells or by baculovirus infection. Be aware about differences in price and lead time.	
> 90 %	
TNFAIP8	

Target Details

Alternative Name:	Tumor necrosis factor alpha-induced protein 8 (TNFAIP8) (TNFAIP8 Products)	
Background:	Recommended name: Tumor necrosis factor alpha-induced protein 8. Short name= TNF alpha-induced protein 8	
UniProt:	Q5RF18	

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized	
Concentration:	0.2-2 mg/mL	
Buffer:	Tris-based buffer, 50 % glycerol	
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week	
Storage:	-20 °C	
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.	