antibodies - online.com





DAPA2 Protein (AA 1-286) (His tag)



Overview

1 mg
DAPA2
AA 1-286
Clostridium
Yeast
Recombinant
This DAPA2 protein is labelled with His tag.
ELISA

Product Details	
Sequence:	MKIEGVLIPL ITPFKDGKVD LASYEKLIRH YSKKGVAGFM PLATTGETPT LSDYEYQSIL
	EKTVECNELN LPIYVGFGGN NTEKMTKDIK MLDKYNIKGI LSVCPYYNRP DQRGIYEHFK
	RISESTSLDI VLYNIPYRTG RNIENDTIRR LSELDNIVGV KDACGDFTQT TELLLNRPDN
	FSILTGEDAF FYSTLMLGGD GGIMASAHLN TEKYVEVFNK SKQNDYKSAL EIWKQVANMI
	PLLFEEPNPA PIKYCLSKTG VIASEALRLP LVPISENLKE KLNKFL
Specificity:	Clostridium acetobutylicum (strain ATCC 824 / DSM 792 / JCM 1419 / LMG 5710 / VKM B-
	1787)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	DAPA2
Alternative Name:	Dihydrodipicolinate synthase 2 (dapA2) (DAPA2 Products)
Background:	Recommended name: Dihydrodipicolinate synthase 2. Short name= DHDPS 2. EC= 4.2.1.52
UniProt:	Q97D80

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.