antibodies -online.com





Cyclin D2 Protein (CCND2) (AA 1-288) (His tag)



()	1/0	r\ / I	014	
()	ve	I V I	-v	V

Overview	
Quantity:	1 mg
Target:	Cyclin D2 (CCND2)
Protein Characteristics:	AA 1-288
Origin:	Pig
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This Cyclin D2 protein is labelled with His tag.
Application:	ELISA
Product Details	
Sequence:	MELLCCEVDP VRRAVPDANL LHDDRVLQNL LTIEERYLPQ CSYFKCVQKD IQPYMRRMVA
	TWMLEVCEEQ KCEEEVFPLA INYLDRFLAG VPTPKTHLQL LGAVCMFLAS KLKETIPLTA
	EKLCIYTDNS IKPQELLEWE LVVLGKLKWN LAAVTPHDFI EHILRKLPQP NEKLSLIRKH
	AQTFIALCAT DFKFAMYPPS MIATGSVGAA ICGLQQDEDV SSLTGDALVD LLARITNTDV
	DCLKACQEQI EVVLLNSLQQ YRQDQDGSKS EDELDQASTP TDVRDIDL
Specificity:	Sus scrofa (Pig)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	Cyclin D2 (CCND2)	
Alternative Name:	G1/S-specific cyclin-D2 (CCND2) (CCND2 Products)	
Background:	Recommended name: G1/S-specific cyclin-D2	
UniProt:	Q8WNW2	
Pathways:	Cell Division Cycle, Mitotic G1-G1/S Phases	

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized	
Concentration:	0.2-2 mg/mL	
Buffer:	Tris-based buffer, 50 % glycerol	
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week	
Storage:	-20 °C	
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.	