antibodies - online.com





CIN2 Protein (AA 1-259) (His tag)



Overview

Quantity:	1 mg
Target:	CIN2
Protein Characteristics:	AA 1-259
Origin:	Schizosaccharomyces pombe
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This CIN2 protein is labelled with His tag.
Application:	ELISA

Product Details	
Sequence:	MSEKFVELRK EFLTKLYKST PSEQTSRSEK ETWLEEKSKY LGEMTRELNE VQDQIAPYDR
	RVCMEQLVDL TRRLQQIRHD ILPRQPFRFQ RALHVKSSQK PVKNITVNAE APEVYFENDT
	LYLANLKNQN IGDNVIPYPN NKAVKVSAKS LRSCNISISN CSSVNLHNAT KCNFTFPTIQ
	GSIHLSDIND STICVSCHQF RLHHSTNLRV HLRCKTSPVI EESKEISFSY KDEHPILDFT
	WARSDPSPHF RITSDLFDA
Specificity:	Schizosaccharomyces pombe (strain 972 / ATCC 24843) (Fission yeast)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	CIN2
Alternative Name:	Tubulin-specific chaperone C (cin2) (CIN2 Products)
Background:	Recommended name: Tubulin-specific chaperone C. Alternative name(s): Tubulin-folding cofactor C. Short name= CFC
UniProt:	Q9P3T8

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.