

Datasheet for ABIN1653701 **c-MYC Protein (AA 1-439) (His tag)**



Go to Product page

_	verview				
	1//	r	1//	\triangle	۸/
	V		VI		/ V

Quantity:	1 mg
Target:	c-MYC (MYC)
Protein Characteristics:	AA 1-439
Origin:	Shrew (Tupaia)
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This c-MYC protein is labelled with His tag.
Application:	ELISA

Turincation tag / Conjugate.		
Application:		
Product Details		
Sequence:	MPLNVSFASR NYDLDYDSVQ PYFYCDEEEN FYQQQQQSEL QPPAPSEDIW KKFELLPTPP	
	LSPSRRSGLC SPSYVAVASF SPRGDDDGGG GSFSTADQLE MVTELLGGDM VNQSFICDPD	
	DETFIKNIII QDCMWSGFSA AAKLVSEKLA SYQAARKDSG SPSPARGHSG CSTSSLYLQD	
	LSAAASECID PSVVFPYPLN DGSSPKPCAS PDSTAFSPSS DSLLSSTESS PRASPEPLAL	
	HEETPPTTSS DSEEDQEDEE EIDVVSVEKR QPPTKRSESG SPSAGGHSKP PHSPLVLKRC	
	HVSTHQHNYA APPSTRKDYP AAKRAKLDSG RVLKQISNNR KCASPRSSDT EENDKRRTHN	
	VLERQRRNEL KRSFFALRDQ IPELENNEKA PKVVILKKAT AYILSVQAEE QKLISEKDLL	
	RKRREQLKHK LEQLRNSCA	
Specificity:	Tupaia glis (Tree shrew)	
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien	
	cells or by baculovirus infection. Be aware about differences in price and lead time.	

Product Details > 90 % Purity: **Target Details** Target: c-MYC (MYC) Abstract: MYC Products Background: Recommended name: Myc proto-oncogene protein. Alternative name(s): Proto-oncogene c-Myc Transcription factor p64 UniProt: Q9MZT9 Pathways: p53 Signaling, Cell Division Cycle, Sensory Perception of Sound, Transition Metal Ion Homeostasis, Mitotic G1-G1/S Phases, Positive Regulation of Endopeptidase Activity, Regulation of Carbohydrate Metabolic Process, Positive Regulation of Response to DNA Damage Stimulus, Warburg Effect **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only Handling Format: Lyophilized Concentration: 0.2-2 mg/mL

Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to

Tris-based buffer, 50 % glycerol

one week

Buffer:

Handling Advice:

Handling

Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.