

## Datasheet for ABIN1658913

# CD1a Protein (CD1a) (AA 19-300) (His tag)



#### Overview

1 mg
CD1a
AA 19-300
Pig
Yeast
Recombinant
This CD1a protein is labelled with His tag.
ELISA
EE GFQEPISFQI IWISSFYNRS WEEEVCSAWL GELQTHRREG KSDIVIYRQP WSKGNFSRED
LMESEHILRM FFVRFVQAFF NHASQWKLEY PFDVQIAGGC DLYHGETSVG FVRIAYQGSD
FASFQNNSWL PSPKGGTRAQ LVCKLFNLYQ GTLEIIHKLL SDTCPRFVLG LLDAGKADLQ
RQVRPEAWLS SGPNPSPGHL MLVCHVSGFY PKPIWVMWMR DEQEQPGTQQ GDILPNADGT
WYLRVTLDVA AGEASGLSCR VKHSSLGGQD IILYWEQHSS
Sus scrofa (Pig)
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
cells or by baculovirus infection. Be aware about differences in price and lead time.

#### **Target Details**

Target:	CD1a
Alternative Name:	T-cell surface glycoprotein CD1a (CD1A) (CD1a Products)
Background:	Recommended name: T-cell surface glycoprotein CD1a.  Alternative name(s): CD_antigen= CD1a
UniProt:	Q9XS72
Pathways:	Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process

#### **Application Details**

#### Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

### Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.