# antibodies -online.com





Datasheet for ABIN1662309

## TPM2 Protein (AA 1-161) (His tag)



$\sim$				
	11/6	٦r١	/10	۱۸.

Quantity:	1 mg
Target:	TPM2
Protein Characteristics:	AA 1-161
Origin:	Saccharomyces cerevisiae
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This TPM2 protein is labelled with His tag.
Application:	ELISA
Product Details	

Purity:	> 90 %
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time.
Specificity:	Saccharomyces cerevisiae (strain ATCC 204508 / S288c) (Bakers yeast)
	RRIVALEEER DEWEKKCEEF QSKYEEAQKE LDEIANSLEN L
	ESQLSDTKQL AEDSNNLRSN NENYTKKNQD LEQQLEDSEA KLKEAMDKLK EADLNSEQMG
Sequence:	MEKIKEKLNS LKLESESWQE KYEELREQLK ELEQSNTEKE NEIKSLSAKN EQLDSEVEKL

### **Target Details**

Target:	TPM2
Abstract:	TPM2 Products

#### **Target Details**

Background:	Recommended name: Tropomyosin-2
UniProt:	P40414

#### **Application Details**

#### Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

#### Handling

Format:	Lyophilized	
Concentration:	0.2-2 mg/mL	
Buffer:	Tris-based buffer, 50 % glycerol	
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week	
Storage:	-20 °C	
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.	