antibodies .- online.com







D10R Protein (AA 1-248) (His tag)



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Overview	
Quantity:	1 mg
Target:	D10R
Protein Characteristics:	AA 1-248
Origin:	Variola Virus
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This D10R protein is labelled with His tag.
Application:	ELISA
Product Details	

Sequence:	MNFYRSSIIS QIIKYNRRLA KSIICEDDSQ IITLTAFVNQ CLWCHKRVSV SAILLTTDNK
	ILVCNRRDSF LYSEIIRTRN MSRKKRLFLN YSNYLNKQER SILSSFFSLD PATIDNDRID
	AIYPGGILKR GENVPECLSR EIKEEVNIDN SFVFIDTRFF IHGIIEDTII NKFFEVIFFV GRISLTSDQI
	IDTFKSNHEI KDLIFLDPNS GNGLQYEIAK YALDTAKLKC YGHRGCYYES LKKLTEDD
Specificity:	Variola virus (isolate Human/India/Ind3/1967) (VARV) (Smallpox virus)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target Details

Alternative Name:	mRNA-decapping protein D10 (D10R) (D10R Products)	
Target Type:	Viral Protein	
Background:	Recommended name: mRNA-decapping protein D10. EC= 3.1.3	
UniProt:	P33071	

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized	
Concentration:	0.2-2 mg/mL	
Buffer:	Tris-based buffer, 50 % glycerol	
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week	
Storage:	-20 °C	
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.	