antibodies -online.com





RFFG Protein (AA 1-355) (His tag)



Overview

Quantity:	1 mg
Target:	RFFG
Protein Characteristics:	AA 1-355
Origin:	E. coli
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This RFFG protein is labelled with His tag.
Application:	ELISA

Product Details

Product Details	
Sequence:	MRKILITGGA GFIGSALVRY IINETSDAVV VVDKLTYAGN LMSLAPVAQS ERFAFEKVDI
	CDRAELARVF TEHQPDCVMH LAAESHVDRS IDGPAAFIET NIVGTYTLLE AARAYWNALT
	EDKKSAFRFH HISTDEVYGD LHSTDDFFTE TTPYAPSSPY SASKASSDHL VRAWLRTYGL
	PTLITNCSNN YGPYHFPEKL IPLMILNALA GKSLPVYGNG QQIRDWLYVE DHARALYCVA
	TTGKVGETYN IGGHNERKNL DVVETICELL EELAPNKPHG VAHYRDLITF VADRPGHDLR
	YAIDASKIAR ELGWLPQETF ESGMRKTVQW YLANESWWKQ VQDGSYQGER LGLKG
Specificity:	Escherichia coli (strain K12)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	RFFG
Alternative Name:	dTDP-glucose 4,6-dehydratase 2 (rffG) (RFFG Products)
Background:	Recommended name: dTDP-glucose 4,6-dehydratase 2. EC= 4.2.1.46
UniProt:	P27830

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.