# antibodies -online.com





## Uracil Phosphoribosyltransferase (UPP) (AA 1-208) protein (His tag)



Go to Product page

$\sim$	
( )\/\	rview
$\circ$	1 4 1 C 4 4

1 mg
Uracil Phosphoribosyltransferase (UPP)
AA 1-208
Pelobacter propionicus
Yeast
Recombinant
His tag
ELISA
MAIFEVKHPL IQHKLGLMRK ADQSTKQFRE LASEVARLLT YEATKDLETE SITITGWAGP
VTVQQIKGKK ITVVPILRAG LGMMNGVLDM IPSAKVSVVG LYRNEETLEP VAYYEKFASG
MEERIALIID PMLATGGSLL TTIEMLKKTG CRRIKGLFLV AVPEGLERIG RAHPDVEIYV
ASIDERLNEQ GYILPGLGDA GDKIFGTK
Pelobacter propionicus (strain DSM 2379)
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
cells or by baculovirus infection. Be aware about differences in price and lead time.
> 90 %
Uracil Phosphoribosyltransferase (UPP)

#### **Target Details**

Abstract:	UPP Products
Background:	Recommended name: Uracil phosphoribosyltransferase.  EC= 2.4.2.9.  Alternative name(s): UMP pyrophosphorylase UPRTase
UniProt:	A1AMK6

### **Application Details**

#### Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

### Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.