# antibodies -online.com





## D-Serine Dehydratase Protein (DSDA) (AA 1-440) (His tag)



| ( ) | 1/0 | r\ /1 | 014 |   |
|-----|-----|-------|-----|---|
| ( ) | ve  | I V I | -v  | V |
|     |     |       |     |   |

| Quantity:                     | 1 mg                                                        |
|-------------------------------|-------------------------------------------------------------|
| Target:                       | D-Serine Dehydratase (DSDA)                                 |
| Protein Characteristics:      | AA 1-440                                                    |
| Origin:                       | Salmonella arizonae                                         |
| Source:                       | Yeast                                                       |
| Protein Type:                 | Recombinant                                                 |
| Purification tag / Conjugate: | This D-Serine Dehydratase protein is labelled with His tag. |
| Application:                  | ELISA                                                       |

| Product Details  |                                                                                                  |  |
|------------------|--------------------------------------------------------------------------------------------------|--|
| Sequence:        | MENIQKLIAR YPLVADLVAL KETTWFNPGA TSLAQGLPYV GLTEQDVNAA HDRLARFAPY                                |  |
|                  | LAKAFPETAA AGGMIESDMV AIPAMQKRLE KEYGQTIDGE MLLKKDSHLA ISGSIKARGG                                |  |
|                  | IYEVLTHAEK LALEAGLLTT DDDYSVLLSP GFKQFFSRYS IAVGSTGNLG LSIGIMSACI                                |  |
|                  | GFKVTVHMSA DARAWKKAKL RRHGVTVVEY EDDYGVAVEQ GRKAAQADPN CFFIDDENSR                                |  |
|                  | TLFLGYAVAG QRLKAQFAQQ GRVVDASHPL FVYLPCGVGG GPGGVAFGLK LAFGDNVHCF                                |  |
|                  | FAEPTHSPCM LLGVYTGLHD AISVQDIGID NLTAADGLAV GRASGFVGRA MERLLDGLYT                                |  |
|                  | LDDQTMYDML GWLAQEEGIR LEPSALAGMA GPQRICAAAA YPQKLGFGQA LLDNATHLVW                                |  |
|                  | ATGGGMVPED EMEQYLAKGR                                                                            |  |
| Specificity:     | Salmonella arizonae (strain ATCC BAA-731 / CDC346-86 / RSK2980)                                  |  |
| Characteristics: | Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalier |  |
|                  | cells or by baculovirus infection. Be aware about differences in price and lead time.            |  |

#### **Product Details**

Purity:

> 90 %

### **Target Details**

| Target:     | D-Serine Dehydratase (DSDA)              |
|-------------|------------------------------------------|
| Abstract:   | DSDA Products                            |
| Background: | Recommended name: D-serine dehydratase.  |
|             | EC= 4.3.1.18.                            |
|             | Alternative name(s): D-serine deaminase. |
|             | Short name= DSD                          |
| UniProt:    | A9MKH2                                   |

#### **Application Details**

#### Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

#### Handling

| Format:          | Lyophilized                                                                                         |
|------------------|-----------------------------------------------------------------------------------------------------|
| Concentration:   | 0.2-2 mg/mL                                                                                         |
| Buffer:          | Tris-based buffer, 50 % glycerol                                                                    |
| Handling Advice: | Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week |
| Storage:         | -20 °C                                                                                              |

Storage Comment:

Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.