

Datasheet for ABIN1670708

Dihydroorotase Protein (PYRC) (AA 1-398) (His tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	Dihydroorotase (PYRC)
Protein Characteristics:	AA 1-398
Origin:	Clostridium botulinum
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This Dihydroorotase protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	MELLIKNARI IDAIQDFKGD IYIKDGVINE IAQEIKKDNV EVLNCEEKIL MPAFIDTHAH FRDPGLTCKE DLESGSKAAL RGGYTGVCML ANTKPICSSK EVVQYVRDKS KELDLIDIHQ CISVTQNFDG KTLDHLNEFK DDNEVKAISD DGVGVSNNSNI MLEAMKIAKE NNWVLM SHA E SPEFSKSDMR IAENMMTIRD VELAKLSGAH VHMCHVSTKE ALKCIIAAKD EGANITLEVT PHHIGLTKEI NDYRVNPPIR EKEDVEEIIK AIKMGNVDTI GTDHAPHTLE EKSKGSPGMV GLETAFPICY TKLVRENGVS LNELSKLMSL NPARLLGMNK GRISIGVEAD LVLIDIDKKI KVDSNEFVSK GRNTPFEGME YYGEVLATIK SGKIKYKK
Specificity:	Clostridium botulinum (strain Eklund 17B / Type B)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target: Dihydroorotase (PYRC)

Abstract: [PYRC Products](#)

UniProt: [B2TNG1](#)

Application Details

Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modiflicated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions: For Research Use only

Handling

Format: Lyophilized

Concentration: 0.2-2 mg/mL

Buffer: Tris-based buffer, 50 % glycerol

Handling Advice: Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week

Storage: -20 °C

Storage Comment: Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.